## RURALCO ANIMAL HEALTH PRODUCT GUIDE

Offering you the latest information on Ruralco's top selling animal health products.



#### Your animal's health is our priority.

#### Our extensive product range will ensure you maximise production and performance on farm. Here is a simple guide to show our range of animal health products.

We offer competitive pricing with real value and are here to make your farming life easier. Shop online or in store, and we'll deliver the right product when you need it.

Talk to one of our friendly Ruralco representatives today. You can find contact details on the back page of this guide.

Remember to always read the product label.

#### CONTENTS:



Ruralco, its affiliates, agents, and employees, and all persons acting on its or their behalf collectively, disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any part of this document. Ruralco makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product.

To the maximum extent permitted by applicable law, Ruralco disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Ruralco's knowledge of typical requirements and to the best of Ruralco's knowledge are true and accurate. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Always read the product label.

#### JOIN RURALCO AND ENJOY CONVENIENCE, COMPETITIVE PRICING AND EXPERT ADVICE FOR YOUR FARMING BUSINESS.



Ruralco is a values-led farming co-operative that began in 1963. Apply online<sup>\*</sup> today for a Ruralco credit card to take advantage of the full range of Member benefits. Make your farming life easier with the convenience of one card to use online, in store and at the pump, with one statement for consolidated spend and improved cashflow.

Ruralco credit cards are accepted at a wide range of businesses around New Zealand, offering discounts and savings with real value to meet the needs of your farming business.

We are experts in agriculture, providing a complete solution with personalised farming advice and the latest innovations, on farm, in store or online.



Find out more about Ruralco credit cards and apply online<sup>\*</sup> today.

\*Eligibility criteria, lending criteria, terms and conditions apply.



0800787256 RURALCO.CO.NZ


## **POUR-ON**



#### **CYDECTIN POUR-ON**

- Works harder, with persistent activity against Ostertargia ostertagi for 35 days
- NZ dairy production trials conducted at dry off, late lactation or calving showed an average increase of 4.2kg MS per cow across the three trials

Active ingredient: Moxidectin ACVM Act 1997, No. A6203



C C ACTVE 20L

#### ACTIVE+ EPI POUR-ON

- For the treatment and control of internal and external parasites of beef and dairy cattle (including lactating cows) and internal parasites of deer
   Effective safe and convenient
- Effective, safe and convenient
- Weatherproof

Active ingredient: Eprinomectin ACVM Act 1997 No. A011491



WITHHOLDING PERIOD: Meat: Cattle: Nil / Deer: 7 days Milk: Nil



#### **ACTIVE+ ABA POUR-ON**

- Fast acting, broad-spectrum treatment and control of internal and external parasites of cattle
- Effective against sucking and biting lice
- Effective against lungworm

Active ingredient: Abamectin ACVM Act 1997, No. A011493





#### **OUTLAW POUR-ON**

- Convenient low volume, double active combination pour-on, delivering full abamectin and levamisole doses
  Highly effective against endectocide (ML) resistant
  - Cooperia spp
- Ideal for young cattle over 100kg bodyweight and dairy cows at dry-off

Active ingredient: Abamectin & levamisole ACVM Act 1997, No. A010375





#### **ACTIVE+ DELGUARD**

- A pour-on for the prevention of nuisance fly and control of biting and sucking lice
- Up to four weeks protection against nuisance fly •
- ٠ Nil milk withholding period

ACVM Act 1997, No. A5740

Active ingredient: Deltamethrin. ACVM Act 1997, No. A011640

#### DOSE CATTLE: WITHHOLDING PFRIOD: 1ml SUITABLE FOR: PACK SIZE: DESTRUCT Organophosphate insecticide pour-on for the control of cattle lice WITHHOLDING DOSE CATTLE: PERIOD: **1ml** per 10kg Active ingredient: Propetamphos Meat: **3 day** Milk: **5 days**

SUITABLE FOR:

PACK SIZE:

# 



#### **ANIMEC SUPER**

- A one dose injectable solution for the treatment and control of internal parasites of cattle, including adult liver fluke
- Its convenience, broad-spectrum efficacy and • wide safety margin make it an ideal product for parasite control in cattle

Active ingredient: lvermectin & clorsulon ACVM Act 1997, No. A011397





#### **CYDECTIN INJECTION**

- An easy to use injection with a wide safety margin
- Prevents reinfection from Teladorsagia (Ostergaia) • circumcincta for 35 days in sheep
- Prevents reinfection from Ostertagia Ostertagi and lung worm for 28 days in cattle

Active ingredient: Moxidectin ACVM Act 1997, No. A5979



WITHHOLDING PERIOD: Meat: Cattle: 35 days, Sheep: 28 days. Milk: 35 days

POUR-ON



#### **CYDECTIN LA**

- NZ trial work demonstrated that on average pre-lamb treated ewes were 3.2kg heavier, and produced lambs 2.6kg heavier at weaning compared to untreated animals
- Easy to administer and gives equivalent production benefits to capsules

Active ingredient: Moxidectin. ACVM Act 1997, No. A9926



AVAILABLE AS:

**Plain** or **Selenised** 

WITHHOLDING

Meat: **49 days** Milk: **49 days** 

PACK SIZE:

500ml

PERIOD:

PACK SIZE:

500ml

PERIOD:

WITHHOLDING

WITHHOLDING

Meat: **42 days** Milk: **42 days** 

PERIOD:

SUITABLE FOR:

DOSE SHEEP:

PACK SIZE:

SUITABLE FOR:

DOSE CATTLE:

SUITABLE FOR:

DOSE SHEEP:

**1ml** per 20kg

1ml

2mL for up to 50kg 1mL per 25kg if over 50kg

Eweguard

#### **EWEGUARD**

- Convenience of a clostridial vaccine and drench in one injection saving time and labour in the yards
- Shown to increase ewe and lamb weights in NZ • field trials
- Produce heavier lambs with less dags •

Active ingredient: Moxidectin and a 6-in-1 vaccine (5 clostridials plus Cheesy Gland) ACVM Act 1997, No. A7302 & A9122 (selenised)

	0
	-
DoraJect njectable Solution for Cattle	

#### DORAJECT

- For the treatment and control of doramectin-. sensitive internal parasites in cattle
- NZ made proven efficacy from doramectin active ingredient

Active ingredient: Doramectin. ACVM Act 1997, No. A10717



VILVAX

#### **MOXISURE LA**

NILVAX


field trials

•

- For the treatment and control of internal parasites, nasal bot and itchmite in sheep
- NZ made long acting injection containing • moxidectin active ingredient

Active ingredient: Moxidectin. ACVM Act 1997, No. A10806





Produce heavier lambs with less dags

Active ingredient: Levamisole and a 5-in-1 vaccine ACVM Act 1997, No's. A3832, A3977 & A934



## MINERAL VACCINES



#### COBALJECT B12 1000

- For the treatment and control of cobalt & selenium deficiency in sheep and cattle
- Treatment of pregnant ruminants should benefit new-born animals
- Supplementation of young ruminants should begin at or before weaning for best results

Active ingredient: Hydroxocobalamin ACVM Act 1997, No. A011690 & A011692



#### **COBALJECT B12 2000**

- For the treatment and control of cobalt & selenium deficiency in sheep and cattle
- Dose rates ideal for calves and cattle
- Supplementation of young ruminants should begin at or before weaning for best results

Active ingredient: Hydroxocobalamin ACVM Act 1997, No. A11694 & A11696



AVAILABLE AS:

**Plain** or **Selenised** 

WITHHOLDING

PERIOD: NI

SUITABLE FOR:


PACK SIZE:



#### **INJECTAMAX**

- Trace mineral injection for cattle that contains copper, manganese, zinc and selenium, PLUS B12, in a safe, chelated formulation
- Subcutaneous injection
- Convenient and optimal dose rates

Active ingredient: Copper, manganese, zinc & selenium, PLUS B12. ACVM Act 1997, No. A011926



DOSE **1-2 years: 1ml** per 75kg CATTLE: >**2 years: 1ml** per 100kg



#### **INJECTAMIN**

- Trace mineral injection for cattle and deer that contains copper, manganese, zinc and selenium in a safe, chelated formulation
- Subcutaneous injection
- Convenient and optimal dose rates

Active ingredient: Copper, manganese, zinc & selenium ACVM Act 1997, No. A011925



AVAILABLEAS: Multimineral

PACK SIZE: 500ml flexi WITHHOLDING PFRIOD: NI

DOSE CALF: **1ml** per 50kg DOSE CATTLE: **2 years: 1ml** per 75kg **2 years: 1ml** per 100kg DOSE DEER: **1ml** per 100kg

### R



•

#### **ACTIVE+ MERGE**

- Low dose combination oral drench
- Controls internal parasites in sheep and cattle including tapeworm in sheep
- Levamisole has retained efficacy against Cooperia • species, worms that commonly show resistance to other drench families

Active ingredient: Oxfendazole & levamisole with cobalt, zinc & selenium. ACVM Act 1997, No. A011494



WITHHOLDING PERIOD: Meat: **10 days** Milk: **Sheep 35 days, Cattle 144 hours** 



#### **ACTIVE+ DUPLE**

- Convenient low dose combination drench
- For the management of internal parasites in • sheep and cattle
- ML/clear dual combination oral drench •

Active ingredient: Abamectin & levamisole with cobalt & selenium ACVM Act 1997, No. A011497



DOSE SHEEP & CATTLE:

PACK SIZE: 5L, 10L & 20L

WITHHOLDING PERIOD: Meat: **Sheep & Cattle 14 days** Milk: **35 days** 



#### **ACTIVE+ TREBLE**

- For the management of internal parasites in sheep and cattle
- White/ML/clear combination plus selenium • and cobalt
- Developed in New Zealand for New Zealand •

Active ingredient: Abamectin, oxfendazole & levamisole with cobalt & selenium ACVM Act 1997, No. A011495



ORAL



#### **ACTIVE+ TREBLE iTAPE**

- For the treatment and control of tapeworm and internal parasites in sheep
- Aids in the supplementation of Selenium and Cobalt
- Ideal lamb drench contains lvermectin in a quad combination

Active ingredient: Ivermectin, levamisole, oxfendazole & praziguantel with cobalt & selenium. ACVM Act 1997, No. A011498





#### **ACTIVE+ TREBLE SHEEP**

- For the treatment and control of internal parasites in sheep
- White/ML/clear combination plus selenium and cobalt
- Developed in New Zealand for New Zealand

Active ingredients: Abamectin, oxfendazole, levamisole with selenium & cobalt. ACVM Act 1997, No. A011892

#### **CERVIDAE ORAL**

- A low dose triple combination drench
- For the treatment and control of gastrointestinal parasites in deer
- Made and developed in New Zealand

Active ingredient: Moxidectin, oxfendazole & levamisole ACVM Act 1997, No. A11849







#### COMBINATION PLUS TAPE

• A broad spectrum sheep drench for the control of tapeworms (heads and segments), adult liver fluke and susceptible gastrointestinal roundworms and lungworms in sheep and lambs. Including benzimidazole and levamisole resistant strains

Active ingredient: Albendazole, levamisole & praziquantel ACVM Act 1997, No. A9871

SUITABLE FOR:	AVAILABLE AS: Mineralised
DOSE SHEEP:	PACK SIZE:
<b>1ml</b>	1L, 5L
per 5kg	& 10L
WITHHOLDING	Meat: <b>10 days</b>
PERIOD:	Milk: <b>35 days</b>



#### **CYDECTIN ORAL**

- Protect your stock from parasite burdens for longer with 35 days persistent activity against barber's pole worm & 21 days Teladorsagia (Ostertagia) circumcincta
- NZ trial work found lambs were able to grow at least 60% faster treated with Cydectin Oral compared to a short acting drench

Active ingredient: Moxidectin ACVM Act 1997, No. A07388 & A6204



CYDECTIN

#### **CYDECTIN PLUS TAPE**

• The benefits of Cydectin Oral, with the addition of praziquantel when tapeworm control is required

Active ingredient: Moxidectin & praziguantel ACVM Act 1997, No. A8036





#### **COMBINATION ORAL SHEEP DRENCH**

- Oral broad spectrum combination drench
- Control of susceptible gastrointestinal roundworms and lungworms

Active ingredient: Albendazole & levamisole ACVM Act 1997, No. A9764



1ml

PERIOD:

WITHHOLDING Meat: **10 days** Milk: **35 days** 



#### **MECTIN ORAL**

• Single active abamectin broad spectrum worm control

Active ingredient: Abamectin ACVM Act 1997, No. A9920

SUITABLE FOR:	PACK SIZE: 1L & 20L
DOSE SHEEP: <b>1ml</b> per 5kg	WITHHOLDING PERIOD: Meat: <b>21 days</b> Milk: <b>35 days</b>

## SHEEP FLY & LI



#### **ACTIVE+ CYRO SPRAY ON**

- Ready to use spray on application
- Protection period up to six weeks
- Very competitive cost per dose

Active ingredient: Cyromazine ACVM Act 1997, No. A011468



- For prevention of blowfly strike on sheep for up to 12 weeks
- Water soluble suspension for jetting, dipping & dressing ٠
- Long term protection up to 12 weeks •

Active ingredient: Cyromazine ACVM Act 1997, No. A011467



- · Treats active flystrike and prevents blowfly strike for up to 12 weeks
- Treatment for lice on long wool merino sheep (>3 months wool)
- Control of lice on coarse wool breeds •



SUITABLE FOR:

DOSE SHEEP:

SUITABLE FOR:

DOSE SHEEP:

PACK SIZE:

10L & 20L

WITHHOLDING PERIOD:

Milk: 35 days

PACK SIZE: 10L & 20L

WITHHOLDING

Meat: **7 days** Milk: **35 days** 

PERIOD:



CYRO

#### **EXTINOSAD**

- Controls lice on long wool merino sheep (>3 months wool) and coarse wool breeds
- Treats and provides short-term protection against blowfly strike on sheep

Active ingredient: Spinosad. ACVM Act 1997, No. A008206



Active ingredient: Cyromazine & spinosad ACVM Act 1997, No. A009917



#### MAGGO

- For the treatment of flystrike in sheep
- Offers protection from re-strike on treated area
- Convenient applicator to ensure correct rate is applied

Active ingredient: Propetamphos & paradichlorobenzene ACVM Act 1997, No. A5679



PACK SIZE: 2.5L & 20L

WITHHOLDING

Meat: **Nil** Milk: **35 days** Wool: **60 days** 

PERIOD:

SUITABLE FOR:

DOSE SHEEP:



#### MAGNUM®

- A fly and lice pour-on for sheep
- Water-based IGR pour-on for the prevention of flystrike and control of lice
- Nil meat withholding period, so no delay in getting lambs away
- Provides 8 weeks fly protection

Active ingredient: Diflubenzuron (IGR - Insect Growth Regulator) ACVM Act 1997, No. A7704



#### **SERAPHOS 1250**

- Controls blowfly and cattle ticks on sheep
- Eradicates lice and keds on sheep

Active ingredient: Propetamphos ACVM Act 1997, No. A004265

SUITABLE FOR:	PACK SIZE: 5L
DOSE SHEEP: Refer to label	WITHHOLDING PERIOD: Meat: 14 days Milk: 35 days Wool: 60 days at least

#### UNLOCK CONCENTRATE

• Lice and fly concentrate formulation provides up to 12 weeks fly control and as an aid in the control of cockle damage in all breeds of sheep

Active ingredient: Diflubenzuron ACVM Act 1997, No.A11628

SUITABLE FOR:	PACK SIZE: 10L
DOSE SHEEP: Refer to label	WITHHOLDI PERIOD: Meat: <b>7 da</b> y

WITHHOLDING PERIOD: Meat: 7 days Milk: 35 days Wool: 60 days at least

#### **UNLOCK COMBINATION**



• A unique lice and fly insect growth regulator with proven actives for use on all breeds of sheep

Active ingredient: Cyromazine & diflubenzuron ACVM Act 1997, No.A011637 SUITABLE FOR:

DOSE SHEEP:

**Per 100L:** Fly **400ml** Lice **200ml**  PACK SIZE: 5L & 10L

WITHHOLDING PERIOD: Meat: 10 days Milk: 35 days Wool: 60 days at least





#### **ZAPP ENCORE**

- Combination pour-on for the knockdown and long term control of lice
- Knockdown of maggots and long term control of flystrike
- Rain fast and can be applied to wet sheep •

Active ingredient: Triflumuron & imidacloprid. ACVM Act 1997, No. A010400



Meat: **56 day:** Milk: **35 days** 



#### ZENITH

- A fly and lice dip and jetting concentrate
- Water-based IGR dip and jetting concentrate for the prevention of flystrike and control of lice
- Up to 12 weeks fly control
- Active ingredient: Diflubenzuron. ACVM Act 1997, No. A006102



## VACCINES



#### **EWEGUARD**

- Convenience of a clostridial vaccine and drench in one injection saving time and labour in the yards
- Shown to increase ewe and lamb weights in NZ field trials
- Produce heavier lambs with less dags

Active ingredient: Moxidectin and a 6-in-1 vaccine (5 clostridials plus Cheesy Gland) ACVM Act 1997, No. A7302 & A9122 (selenised)



•

#### LAMB VACCINE

- Immediate short-term tetanus protection
- Short-term pulpy kidney protection - develops 7-10 days after vaccination

Active ingredient: Clostridium perfringens (type D), toxoid & tetanus. ACVM Act 1997, No's. A1009, 1011 & A934



AVAILABLE AS:

SUITABLE FOR:

DOSELAMB: PACK SIZE: 250ml & 500ml **2ml** per lamb

WITHHOLDING PERIOD: Nil



#### **NILVAX**

- Boosted with levamisole for enhanced immune response
- Boosts antibodies available for colostrum ideal for multiple bearing ewes
- Longer vaccination window, up to 6 weeks before lambing

Active ingredient: Levamisole and a 5-in-1 vaccine ACVM Act 1997, No's. A3832, A3977 & A934



AVAILABLE AS:

Plain or Selenised

DOSE CATTLE:

WITHHOLDING PERIOD:

SUITABLE FOR:

PACK SIZE:

<u>& 500ml</u>



#### **MULTINE 5 IN 1**

- Protects against pulpy kidney, malignant oedema, tetanus, black disease and blackleg
- Available in plain and with Vitamin B12 for sheep and cattle and selenised for sheep
- A proven performer on New Zealand farms for well over 30 years

Active ingredient: A 5-in-1 clostridial vaccine ACVM Act 1997, No. A000934 & A000935



#### **MULTINE 5 IN 1 B12**

- Protects against pulpy kidney, malignant oedema, tetanus, black disease and blackleg
- Available in plain and with Vitamin B12 for sheep and cattle
- A proven performer on New Zealand farms for well over 30 years

Active ingredient: A 5-in-1 clostridial vaccine ACVM Act 1997, No. A011311





#### MULTINE 5 IN 1 B12 SELENISED

- Protects against pulpy kidney, malignant oedema, tetanus, black disease and blackleg
- Includes an optimum 2mg dose of selenium for supplementation of lambs from tailing
- Use from tailing/docking in sheep and goats

Active ingredient: A 5-in-1 clostridial vaccine + Vitamin B12 and 2mg of Selenium per dose ACVM Act 1997, No. A11766



## BOOST MINERAL BLEND

A water-soluble, multi-mineral blend, providing trace elements for animal health.

To discuss the best mineral mix for your livestock talk to your Ruralco representative today or find out more at ruralco.co.nz/boost





BUY ONLINE RURALCO.CO.NZ

**ORDER BY PHONE** 0800 787 256 BUY IN STORE ASHBURTON / METHVEN / RAKAIA



MINERAL BLEND

BOOST | MINERALS

#### EXPERTS IN AGRICULTURE, PROVIDING A COMPLETE AND PERSONALISED ON-FARM SOLUTION



Jono Pavey GROUP MANAGER FARM SUPPLIES 027 565 9669



Bill Cabout ASHBURTON STORE MANAGER 03 307 5100



Maree Smith RAKAIA STORE MANAGER 03 303 5440



Mel Sowden METHVEN STORE MANAGER 03 303 2020



Lester Chambers ON-FARM SALES MANAGER 027 707 8120



Brent Chamberlain ON-FARM ACCOUNT MANAGER 027 262 2218



Melinda Driscoll SENIOR DAIRY SPECIALIST 027 449 9705



Jelle Hendriksen ON-FARM ACCOUNT MANAGER 027 275 2283



Jarrad Mehlhopt ON-FARM ACCOUNT MANAGER 027 229 9764



Rebekah Walker ON-FARM ACCOUNT MANAGER 027 647 3813



Ricky Brown ARABLE & PASTORAL REPRESENTATIVE 027 554 3009



Steve Lawson ARABLE & PASTORAL REPRESENTATIVE 027 245 5661



#### CONTACT US TODAY



ASHBURTON / METHVEN / RAKAIA